

Customer No. 24498

RECEIVED  
CENTRAL FAX CENTER PF020081  
NOV 09 2007

**IN THE CLAIMS:**

Please consider the following:

1. (Currently Amended) Method of creation of a new communication network by a wireless terminal, wherein the wireless terminal initially being part of an existing centralized network that includes an access point able to control the association of wireless terminals to its network, it includes, for the associated terminal, the steps of:

- disassociation of the terminal from the existing centralized network; and
- initiation of a procedure for creating a new network including a declaration of the terminal as access point of the new network, where the operating parameters of the new network are such that communications on the new network do not interfere with the existing network.

2. (Previously Presented) Method according to Claim 1, wherein the terminal initiates disassociation in at least one of the following cases:

- frequency change rejection by the access point of the existing network following a request from the terminal in this sense; or
- connection establishment rejection by the access point of the existing network following a request from the terminal in this sense.

3. (Previously Presented) Method according to Claim 1, wherein the access point of the existing network initiates the disassociation.

Customer No. 24498

PF020081

4. (Currently Amended) Wireless terminal including an interface with the a communication medium, a microprocessor and a memory, which terminal additionally includes in its memory a program comprising program means adapted to perform a disassociation of the terminal from the a network and program means to perform an initiation of a procedure for creating a new network including a declaration of the terminal as access point of the new network, where the operating parameters of the new network are such that communications on the new network do not interfere with the existing network.

5. (Previously Presented) Wireless terminal according to Claim 4, wherein the said program means are adapted to initiate the disassociation from the existing network in one of the following cases:

- frequency change rejection by the access point of the existing network following a request from the terminal in this sense; or
- connection establishment rejection by the access point of the existing network following a request from the terminal in this sense.